

AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-40 (Cancelled).

41. (Currently Amended) A dental bleaching composition that is substantially free of abrasives for non-abrasively bleaching and desensitizing a person's teeth, comprising:

a dental bleaching agent in an amount in a range of 10% to about 30% by weight of the dental bleaching composition so as to have a tooth bleaching effect when contacted with a person's teeth, said dental bleaching agent comprising at least one peroxide;

potassium nitrate in a range of about 0.01% to about 2% by weight of the dental bleaching composition so as to result in reduced tooth sensitivity that may be caused by said dental bleaching agent in the absence of said potassium nitrate when the dental bleaching composition is contacted with a person's teeth for a time sufficient to bleach teeth; and

a carrier ~~that is substantially free of abrasives~~ into which said dental bleaching agent and potassium nitrate are dispersed, the carrier being free of an amount of an abrasive that would externally abrade a tooth surface such that the dental bleaching composition does not externally abrade a tooth surface when applied thereto contains less than 20% by weight of an abrasive, the carrier comprising a solvent and a tackifying agent.

42. (Previously Presented) A dental bleaching composition as defined in claim 41, said dental bleaching agent comprising at least one of hydrogen peroxide, carbamide peroxide, sodium perborate, benzoyl peroxide, or glycerol peroxide.

43. (Cancelled)

44. (Previously Presented) A dental bleaching composition as defined in claim 41, wherein said dental bleaching agent is included in a range of 10% to about 20% by weight of the dental bleaching composition.

45. (Previously Presented) A dental bleaching composition as defined in claim 41, wherein said dental bleaching agent is included in a range of 10% to 15% by weight of the dental bleaching composition.

46. (Previously Presented) A dental bleaching composition as defined in claim 41, wherein said potassium nitrate has a concentration of about 0.5% by weight of the dental bleaching composition.

47. (Previously Presented) A dental bleaching composition as defined in claim 41, said carrier comprising a polyol.

48. (Previously Presented) A dental bleaching composition as defined in claim 47, said polyol comprising at least one of glycerin, propylene glycol, polypropylene glycol, polyethylene glycol, erythritol, sorbitol, or mannitol.

49. (Cancelled)

50. (Previously Presented) A dental bleaching composition as defined in claim 41, said tackifying agent comprising at least one of carboxypolymethylene, a gum, or a protein.

51. (Previously Presented) A dental bleaching composition as defined in claim 41, said carrier comprising water.

52. (Previously Presented) A dental bleaching composition as defined in claim 41, further comprising an antimicrobial agent that is at least one of chlorhexidine, tetracycline, cetyl pyridinium chloride, benzalkonium chloride, cetyl pyridinium bromide, methyl benzoate, or propyl benzoate.

53. (Previously Presented) A dental bleaching composition as defined in claim 41, further comprising an anticariogenic agent that is at least one of sodium monofluorophosphate, sodium fluoride, or stannous fluoride.

54. (Previously Presented) A dental bleaching composition as defined in claim 41, further comprising at least one bleaching agent stabilizer that is at least one of EDTA, a salt of EDTA, adipic acid, succinic acid, citric acid, a nitrate of tin, or a phosphate of tin.

55. (Cancelled)

56. (Previously Presented) A dental bleaching composition as defined in claim 41, wherein said potassium nitrate reduces sensitivity to at least one of hot or cold.

57. (Previously Presented) A dental bleaching composition as defined in claim 41, wherein said potassium nitrate reduces at least one of gum, tongue, or throat sensitivity.

58. (Previously Presented) A dental bleaching composition as defined in claim 41, wherein said potassium nitrate further enhances whitening of teeth by said dental bleaching agent.

59. (Currently Amended) A dental bleaching composition that is substantially free of abrasives for non-abrasively bleaching and desensitizing a person's teeth, comprising:

a dental bleaching agent in an amount in a range of 10% to about 20% by weight of the dental bleaching composition so as to have a tooth bleaching effect when contacted with a person's teeth, said dental bleaching agent comprising at least one peroxide;

potassium nitrate in a range of about 0.05% to about 1% by weight of the dental bleaching composition so as to result in reduced sensitivity that may be caused by said dental bleaching agent in the absence of said potassium nitrate when the dental bleaching composition is passively maintained in contact with a person's teeth for at least about 15 minutes without brushing or scrubbing; and

a carrier ~~that is substantially free of abrasives~~ into which said dental bleaching agent and potassium nitrate are dispersed, the carrier being free of an amount of an abrasive that would externally abrade a tooth surface such that the dental bleaching composition does not externally abrade a tooth surface when applied thereto ~~contains less than 20% by weight of an abrasive~~, the carrier comprising a solvent and a tackifying agent.

60. (Previously Presented) A dental bleaching composition as defined in claim 59, said dental bleaching agent comprising at least one of hydrogen peroxide or carbamide peroxide.

61. (Previously Presented) A dental bleaching composition as defined in claim 59, wherein said potassium nitrate has a concentration of about 0.5% by weight of the dental bleaching composition.

62. (Previously Presented) A dental bleaching composition as defined in claim 59, said carrier comprising a polyol and a tackifying agent.

63. (Previously Presented) A dental bleaching composition as defined in claim 59, further comprising at least one of an antimicrobial agent, an anticariogenic agent, or a bleaching agent stabilizer.

64. (Cancelled)

65. (Currently Amended) A dental bleaching composition that is substantially free of abrasives for non-abrasively bleaching and desensitizing a person's teeth, comprising:

a dental bleaching agent in an amount in a range of 10% to about 30% by weight of the dental bleaching composition so as to have a tooth bleaching effect when contacted with a person's teeth, said dental bleaching agent comprising at least one peroxide;

potassium nitrate in an amount of about 0.5% by weight of the dental bleaching composition so as to result in reduced tooth sensitivity that may be caused by said dental bleaching agent in the absence of said potassium nitrate when the dental bleaching composition is contacted with a person's teeth for a time sufficient to bleach teeth; and

a carrier ~~that is substantially free of abrasives~~ into which said dental bleaching agent and potassium nitrate are dispersed, the carrier being free of an amount of an abrasive that would externally abrade a tooth surface such that the dental bleaching composition does not externally abrade a tooth surface when applied thereto ~~contains less than 20% by weight of an abrasive~~, the carrier comprising a solvent and a tackifying agent.

66. (Previously Presented) A dental bleaching composition as defined in claim 65, said dental bleaching agent comprising at least one of hydrogen peroxide or carbamide peroxide.

67. (Previously Presented) A dental bleaching composition as defined in claim 65, said carrier comprising a polyol and a tackifying agent.

68. (Previously Presented) A dental bleaching composition as defined in claim 65, said carrier comprising water.

69. (Cancelled)

70. (Previously Presented) A dental bleaching composition as defined in claim 65, wherein said potassium nitrate reduces sensitivity to at least one of hot or cold.

71. (Previously Presented) A dental bleaching composition as defined in claim 65, wherein said potassium nitrate reduces at least one of gum, tongue, or throat sensitivity.

72. (Currently Amended) A method for non-abrasively bleaching and desensitizing a person's teeth, comprising:

providing a non-abrasive dental bleaching composition ~~that is substantially free of abrasives~~ comprising:

a dental bleaching agent in an amount in a range of 10% to about 30% by weight of the dental bleaching composition so as to have a tooth bleaching effect when contacted with a person's teeth, said dental bleaching agent comprising at least one peroxide;

potassium nitrate in a range of about 0.01 to about 2% by weight of the dental bleaching composition so as to result in reduced tooth sensitivity that may be caused by said dental bleaching agent in the absence of said potassium nitrate when the dental bleaching composition is contacted with a person's teeth for a time sufficient to bleach teeth; and

a carrier ~~that is substantially free of abrasives~~ into which said dental bleaching agent and potassium nitrate are dispersed, the carrier being free of an

amount of an abrasive that would externally abrade a tooth surface such that the dental bleaching composition does not externally abrade a tooth surface when applied thereto contains less than 20% by weight of an abrasive, the gel carrier comprising a solvent and a tackifying agent; and

contacting the person's teeth with said non-abrasive dental bleaching composition without scrubbing or brushing for a time sufficient to bleach teeth and in a manner so as to not abrade the person's teeth,

said potassium nitrate reducing tooth sensitivity that may be caused by said dental bleaching agent in the absence of said potassium nitrate.

73. (Previously Presented) A method as defined in claim 72, wherein contacting the person's teeth with said dental bleaching composition without scrubbing or brushing further comprises:

introducing a quantity of said dental bleaching composition into a dental tray; and
placing the dental tray over the person's teeth in order for the dental bleaching composition to contact the person's teeth for the time sufficient to bleach teeth, the dental bleaching composition helping to adhere the dental tray to the person's teeth.

74. (Previously Presented) A method as defined in claim 73, wherein the dental tray remains in place over the person's teeth for at least about 15 minutes.

75. (Previously Presented) A method as defined in claim 73, wherein the dental tray remains in place over the person's teeth for at least about 1 hour.

76. (Previously Presented) A method as defined in claim 73, wherein the dental tray remains in place over the person's teeth for at least about 2 hours.

77. (Currently Amended) A method for non-abrasively bleaching and desensitizing a person's teeth, comprising:

providing a non-abrasive dental bleaching composition ~~that is substantially free of~~
abrasives comprising:

a dental bleaching agent in an amount in a range of 10% to about 20% by weight of the dental bleaching composition so as to have a tooth bleaching effect when contacted with a person's teeth, said dental bleaching agent comprising at least one peroxide;

potassium nitrate in a range of about 0.05% to about 1% by weight of the dental bleaching composition so as to result in reduced tooth sensitivity that may be caused by said dental bleaching agent in the absence of said potassium nitrate when the dental bleaching composition is contacted with a person's teeth for a time sufficient to bleach teeth; and

a carrier ~~that is substantially free of abrasives~~ into which said dental bleaching agent and potassium nitrate are dispersed, the carrier being free of an amount of an abrasive that would externally abrade a tooth surface such that the dental bleaching composition does not externally abrade a tooth surface when applied thereto ~~contains less than 20% by weight of an abrasive~~, the gel carrier comprising a solvent and a tackifying agent; and

contacting the person's teeth with said dental bleaching composition for at least about 15 minutes without scrubbing or brushing and in a manner so as to not abrade the person's teeth,

said potassium nitrate reducing tooth sensitivity that may be caused by said dental bleaching agent in the absence of said potassium nitrate.

78. (Previously Presented) A method as defined in claim 77, wherein contacting the person's teeth with said dental bleaching composition without scrubbing or brushing further comprises:

introducing a quantity of said dental bleaching composition into a dental tray; and
placing the dental tray over the person's teeth for at least about 15 minutes in order for the dental bleaching composition to contact the person's teeth, the dental bleaching composition helping to adhere the dental tray to the person's teeth.

79. (Previously Presented) A method as defined in claim 78, wherein the dental tray remains in place over the person's teeth for at least about 1 hour.

80. (Previously Presented) A method as defined in claim 78, wherein the dental tray remains in place over the person's teeth for at least about 2 hours.

81. (Currently Amended) A method for non-abrasively bleaching and desensitizing a person's teeth, comprising:

providing a non-abrasive dental bleaching composition ~~that is substantially free of abrasives~~ comprising:

a dental bleaching agent in an amount in a range of 10% to about 30% by weight of the dental bleaching composition so as to have a tooth bleaching effect when contacted with a person's teeth, said dental bleaching agent comprising at least one peroxide;

potassium nitrate in an amount of about 0.5% by weight of the dental bleaching composition so as to result in reduced tooth sensitivity that may be caused by said dental bleaching agent in the absence of said potassium nitrate when the dental bleaching composition is contacted with a person's teeth for a time sufficient to bleach teeth; and

a carrier ~~that is substantially free of abrasives~~ into which said dental bleaching agent and potassium nitrate are dispersed, the carrier being free of an amount of an abrasive that would externally abrade a tooth surface such that the dental bleaching composition does not externally abrade a tooth surface when applied thereto ~~contains less than 20% by weight of an abrasive~~, the carrier comprising a solvent and a tackifying agent; and

contacting the person's teeth with said dental bleaching composition without scrubbing or brushing for a desired time period and in a manner so as to not abrade the person's teeth,

said potassium nitrate reducing tooth sensitivity that may be caused by said dental bleaching agent in the absence of said potassium nitrate.

82. (Previously Presented) A method as defined in claim 81, wherein contacting the person's teeth with said dental bleaching composition without scrubbing or brushing further comprises:

introducing a quantity of said dental bleaching composition into a dental tray; and

placing the dental tray over the person's teeth in order for the dental bleaching composition to contact the person's teeth for the time sufficient to bleach teeth, the dental bleaching composition helping to adhere the dental tray to the person's teeth.

83. (Previously Presented) A method as defined in claim 82, wherein the dental tray remains in place over the person's teeth for at least about 15 minutes.

84. (Previously Presented) A method as defined in claim 82, wherein the dental tray remains in place over the person's teeth for at least about 1 hour.

85. (Previously Presented) A method as defined in claim 82, wherein the dental tray remains in place over the person's teeth for at least about 2 hours.

86. (Currently Amended) A sticky and viscous, dental bleaching composition that is substantially free of abrasives for non-abrasively bleaching and desensitizing a person's teeth, comprising:

a dental bleaching agent in an amount in a range of 10% to about 20% by weight of the dental bleaching composition so as to have a tooth bleaching effect when contacted with a person's teeth, said dental bleaching agent comprising at least one peroxide;

potassium nitrate in a range of about 0.01% to about 2% by weight of the dental bleaching composition so as to result in reduced tooth sensitivity that may be caused by said dental bleaching agent in the absence of said potassium nitrate when the dental bleaching composition is contacted with a person's teeth for a time sufficient to bleach teeth; and

a carrier ~~that is substantially free of abrasives~~ into which said dental bleaching agent and potassium nitrate are dispersed, the carrier being free of an amount of an abrasive that would externally abrade a tooth surface such that the dental bleaching composition does not externally abrade a tooth surface when applied thereto ~~contains less than 20% by weight of an abrasive~~, the carrier comprising a solvent and a tackifying agent.

87. (Previously Presented) A dental bleaching composition as defined in claim 86, wherein said tackifying agent is selected from the group comprising carboxypolymethylene, polyacrylic acid copolymers, gums, polyethylene oxides, proteins, and mixtures thereof.

Claims 88-90 (Cancelled).

91. (Previously Presented) A dental bleaching composition as defined in claim 59, wherein said dental bleaching agent is included in a range of 10% to 15% by weight of the dental bleaching composition.

92. (Previously Presented) A dental bleaching composition as defined in claim 65, wherein said dental bleaching agent is included in a range of 10% to about 20% by weight of the dental bleaching composition.

93. (Previously Presented) A dental bleaching composition as defined in claim 86, wherein the bleaching agent in a range of 10% to 15% by weight of the dental bleaching composition.